

Map symbol	Soil name	Acres	Percent
AbA	Abscota sand, calcareous variant-----	776	0.3
AfB	Alford silt loam, till substratum, 1 to 4 percent slopes-----	454	0.2
Ag	Algiers silt loam-----	1,069	0.4
AwA	Avonburg-Urban land complex, 0 to 2 percent slopes-----	67	*
BbB	Birkbeck silt loam, 1 to 4 percent slopes-----	483	0.2
Bln3A	Blanchester silty clay loam, 0 to 1 percent slopes-----	345	0.1
BoD	Bonnell silt loam, 15 to 25 percent slopes-----	6	*
BoE	Bonnell silt loam, 25 to 35 percent slopes-----	90	*
Br	Brookston silty clay loam, fine-silty, 0 to 2 percent slopes-----	8,835	3.4
CcB2	Casco loam, 2 to 6 percent slopes, moderately eroded-----	70	*
CcC2	Casco loam, 6 to 12 percent slopes, moderately eroded-----	305	0.1
CdD2	Casco-Rodman complex, 12 to 18 percent slopes, moderately eroded-----	421	0.2
CeE2	Casco silt loam, 18 to 50 percent slopes, eroded-----	1	*
Cle1A	Clermont silt loam, 0 to 1 percent slopes-----	19,011	7.3
CmC2	Cincinnati silt loam, 8 to 15 percent slopes, eroded-----	6	*
CnB	Cincinnati silt loam, 2 to 6 percent slopes-----	815	0.3
CnB2	Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded-----	909	0.3
CnC2	Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded-----	2,431	0.9
CqC2	Crouse-Miamian silt loams, 6 to 12 percent slopes, eroded-----	94	*
CrB	Crider silt loam, 2 to 6 percent slopes-----	333	0.1
Cu	Cut and fill land-----	510	0.2
DaA	Dana silt loam, 0 to 2 percent slopes-----	260	*
DaB	Dana silt loam, 2 to 6 percent slopes-----	7,135	2.7
EbF	Eden flaggy silty clay loam, 40 to 60 percent slopes-----	30	*
EdB2	Eden complex, 2 to 6 percent slopes, moderately eroded-----	144	*
EdC2	Eden complex, 6 to 12 percent slopes, moderately eroded-----	512	0.2
EdD2	Eden complex, 12 to 18 percent slopes, moderately eroded-----	1,230	0.5
EdE2	Eden complex, 18 to 25 percent slopes, moderately eroded-----	748	0.3
EdF2	Eden complex, 25 to 35 percent slopes, moderately eroded-----	2,022	0.8
Ee	Eel loam-----	639	0.2
FaE2	Fairmount-Eden flaggy silty clay loams, 12 to 25 percent slopes, moderately eroded-----	133	*
FaF2	Fairmount-Eden flaggy silty clay loams, 25 to 50 percent slopes, moderately eroded-----	3,392	1.3
FhA	Fincastle silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes-----	13,104	5.0
FhB	Fincastle silt loam, 2 to 6 percent slopes-----	1,563	0.6
FiB	Fincastle silt loam, 2 to 4 percent slopes-----	37	*
F1A	Fox loam, 0 to 2 percent slopes-----	2,749	1.1
F1B	Fox loam, 2 to 6 percent slopes-----	2,379	0.9
F1B2	Fox loam, 2 to 6 percent slopes, moderately eroded-----	1,118	0.4
F1C2	Fox loam, 6 to 12 percent slopes, moderately eroded-----	1,504	0.6
FoD2	Fox-Casco complex, 12 to 18 percent slopes, moderately eroded-----	493	0.2
Gd	Genesee fine sandy loam-----	4,515	1.7
Gn	Genesee loam-----	4,612	1.8
Gp	Gravel pits-----	495	0.2
HeF	Hennepin silt loam, 25 to 35 percent slopes-----	1,933	0.7
HeF2	Hennepin silt loam, 25 to 35 percent slopes, moderately eroded-----	2,041	0.8
HiD2	Hickory silt loam, 12 to 18 percent slopes, eroded-----	220	*
HiE2	Hickory silt loam, 18 to 25 percent slopes, eroded-----	7	*
HiF2	Hickory silt loam, 25 to 35 percent slopes, eroded-----	279	0.1
HmE	Hennepin-Miamian silt loams, 18 to 25 percent slopes-----	240	*
HmE2	Hennepin-Miamian silt loams, 18 to 25 percent slopes, moderately eroded-----	1,654	0.6
HnD3	Hennepin-Miamian complex, 12 to 18 percent slopes, severely eroded-----	399	0.2
HoB	Henshaw silt loam, 1 to 4 percent slopes-----	1,012	0.4
HrB2	Hickory silt loam, 2 to 6 percent slopes, moderately eroded-----	146	*
HrC2	Hickory silt loam, 6 to 12 percent slopes, moderately eroded-----	2,902	1.1
HrD2	Hickory silt loam, 12 to 18 percent slopes, moderately eroded-----	3,725	1.4
HsC3	Hickory clay loam, 6 to 12 percent slopes, severely eroded-----	321	0.1
HsD3	Hickory clay loam, 12 to 18 percent slopes, severely eroded-----	244	*
HtE2	Hickory-Fairmount complex, 18 to 25 percent slopes, moderately eroded-----	1,751	0.7
HtF2	Hickory-Fairmount complex, 25 to 50 percent slopes, moderately eroded-----	7,662	2.9
HuE2	Hickory-Morrisville silt loams, 18 to 25 percent slopes, eroded-----	27	*

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
IvA	Iva silt loam, till substratum, 0 to 2 percent slopes-----	192	*
JoR1A1	Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes-----	4,072	1.6
JoR1B1	Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes-----	15,805	6.1
JoR1B2	Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded-----	10,756	4.1
JrC2	Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded-----	55	*
KeB	Kendallville loam, 2 to 6 percent slopes-----	155	*
KeC2	Kendallville loam, 6 to 12 percent slopes, moderately eroded-----	239	*
Kg	Kings silty clay loam, thick surface variant-----	222	*
Lg	Lanier sandy loam-----	199	*
LiB	Libre silt loam, 2 to 6 percent slopes-----	5	*
LoC2	Loudon silt loam, 6 to 12 percent slopes, eroded-----	45	*
LuF2	Lumberton silt loam, 25 to 50 percent slopes, eroded-----	1	*
MmB3	Miamian clay loam, 2 to 6 percent slopes, severely eroded-----	270	0.1
MmC3	Miamian clay loam, 6 to 12 percent slopes, severely eroded-----	1,570	0.6
MnD2	Miamian-Hennepin silt loams, 12 to 18 percent slopes, moderately eroded-----	3,030	1.2
MrC2	Miamian-Russell silt loams, 6 to 12 percent slopes, moderately eroded-----	9,212	3.5
MsC2	Miamian silt loam, 6 to 12 percent slopes, eroded-----	121	*
MsD2	Miamian silt loam, 12 to 18 percent slopes, eroded-----	3	*
MtF2	Miamian-Thrifton complex, 25 to 50 percent slopes, eroded-----	81	*
Mu	Muck-----	71	*
OcA	Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes-----	769	0.3
OcB	Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes-----	1,167	0.4
OcB2	Ockley silt loam, 2 to 6 percent slopes, moderately eroded-----	162	*
PaB	Parke silt loam, 2 to 6 percent slopes-----	224	*
PaD2	Parke silt loam, 6 to 18 percent slopes, moderately eroded-----	183	*
Pb	Patton silt loam, silted-----	783	0.3
Pc	Patton silty clay loam-----	3,134	1.2
PlB	Plattsville silt loam, 1 to 6 percent slopes-----	247	*
PrB	Princeton fine sandy loam, 2 to 6 percent slopes-----	223	*
PrC2	Princeton fine sandy loam, 6 to 12 percent slopes, moderately eroded-----	83	*
Ra	Ragsdale silty clay loam-----	51	*
RbA	Rainsboro silt loam, 0 to 2 percent slopes-----	160	*
RbB	Rainsboro silt loam, 2 to 6 percent slopes-----	198	*
Re	Reesville silt loam, 0 to 2 percent slopes-----	130	*
Rh	Riverwash-----	58	*
RkE2	Rodman and Casco gravelly loams, 18 to 25 percent slopes, moderately eroded-----	1,377	0.5
RmA	Ross loam, 0 to 1 percent slopes, occasionally flooded-----	112	*
Rn	Ross loam-----	3,598	1.4
RoC2	Rossmoyne silt loam, 8 to 15 percent slopes, eroded-----	3	*
RpC2	Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded-----	3,221	1.2
RsB3	Rossmoyne silty clay loam, 2 to 6 percent slopes, severely eroded-----	347	0.1
Rsc3	Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded-----	479	0.2
RvA	Russell-Miamian silt loams, 0 to 2 percent slopes-----	442	0.2
RvB	Russell-Miamian silt loams, 2 to 6 percent slopes-----	15,431	5.9
RvB2	Russell-Miamian silt loams, 2 to 6 percent slopes, moderately eroded-----	16,936	6.5
RxB2	Russell-Xenia silt loams, 2 to 6 percent slopes, eroded-----	62	*
Sec1A	Secondcreek silt loam, 0 to 1 percent slopes, overwash-----	10	*
Sec3A	Secondcreek silty clay loam, 0 to 1 percent slopes-----	2,854	1.1
Sh	Shoals silt loam-----	421	0.2
S1A	Sligo silt loam, 0 to 1 percent slopes, occasionally flooded-----	24	*
SnA	Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded-----	9	*
So	Sloan silty clay loam-----	286	0.1
St	Stonelick fine sandy loam, frequently flooded-----	19	*
SyA	Stringley-Sligo loams, 0 to 2 percent slopes, occasionally flooded-----	1	*
TpA	Treaty silt loam, 0 to 1 percent slopes, overwash-----	15	*
TrA	Treaty silty clay loam, 0 to 1 percent slopes-----	30	*
Ud	Udorthents-----	922	0.4
UnB	Uniontown silt loam, 1 to 6 percent slopes-----	333	0.1
W	Water-----	1,538	0.6
WaA	Warsaw loam, 0 to 2 percent slopes-----	1,081	0.4
WaB	Warsaw loam, 2 to 6 percent slopes-----	217	*

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
Wcc3	Wapahani-Miamian clay loams, 6 to 12 percent slopes, severely eroded-----	10	*
WeA	Wea silt loam, 0 to 2 percent slopes-----	612	0.2
WlA	Williamsburg silt loam, 0 to 2 percent slopes-----	156	*
WlB	Williamsburg silt loam, 2 to 6 percent slopes-----	529	0.2
Wlc2	Williamsburg silt loam, 6 to 12 percent slopes, moderately eroded-----	166	*
WsS1A1	Westboro-Schaffer silt loams, 0 to 2 percent slopes-----	14,516	5.6
WsS1B1	Westboro-Schaffer silt loams, 2 to 4 percent slopes-----	2,571	1.0
WyB	Wynn silt loam, 2 to 6 percent slopes-----	1,434	0.5
WyB2	Wynn silt loam, 2 to 6 percent slopes, moderately eroded-----	5,334	2.0
WyC2	Wynn silt loam, 6 to 12 percent slopes, moderately eroded-----	3,611	1.4
WyC3	Wynn silt loam, 6 to 12 percent slopes, severely eroded-----	608	0.2
XeA	Xenia silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes-----	2,807	1.1
XeB	Xenia silt loam, 2 to 6 percent slopes-----	13,101	5.0
XeB2	Xenia silt loam, 2 to 6 percent slopes, moderately eroded-----	1,557	0.6
	Total-----	260,864	100.0

* Less than 0.1 percent.